Neuroscience Letters, 206 (1996) 215–218
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abbot, N.C., Beck, J.S., Mostofi, S., Weiss, F., Sympathetic vasomotor dysfunction in leprosy patients: comparison with electro-physiological measurement and qualitative sensation testing, 57
Adams, J.D., see Klaidman, L.K., 5
Akiyama, H., Schwab, C., Kondo, H., Mori, H., Kametani, F., Ikeda, K., McGeer, P.L., Granules in glial cells of patients with Alzheimer's disease are immunopositive for C-terminal sequences of β-amyloid protein, 169
Alexandrov, A., see Vernazza, S., 77
Alfos, S., Higueret, P., Pallet, V., Higueret, D., Garcin, H., Jaffard, R., Chronic ethanol consumption increases the amount of mRNA for retinoic acid and triiodothyronine receptors in mouse brain, 73
Alonso, R., see Sarrieau, A., 207
Altomare, C., see McNaught, K.St.P., 37
Amaducci, L., see Grassi, E., 196
Amin, V., Cumming, D.V.E., Latchman, D.S., Over-expression of heat shock protein 70 protects neuronal cells against both thermal and ischaemic stress but with different efficiencies, 45
Anken, R.H., Sorger, I., Bremen, D., Rahmann, H., NADPH-diaphorase reactivity in the Mauthner cells of the swordtail fish, *Xiphophorus helleri*, 49

Barbe, A., see Lahjouji, F., 161
Barraquer-Bordás, Ll., see Pellisé, A., 85
Basile, A.S., see Saito, K., 149
Bavan, H., see Seidl, R., 193
Beck, J.S., see Abbot, N.C., 57
Ben-Eliyahu, S., see Gordon, I., 212
Beninati, S., see Seidl, R., 193
Bennett, D.L.H., Dmietrieva, N., Priestley, J.V., Clary, D., McMahon, S.B., trkA, CGRP and IB4 expression in retrogradely labelled cutaneous and visceral primary sensory neurones in the rat, 33
Bina, K.G., Rusak, B., Nerve growth factor phase shifts circadian activity rhythms in Syrian hamsters, 97
Bolino, F., see Grassi, E., 196
Bozhilova-Pastirova, A., Ovtscharoff, W., Intramembranous structure of the postsynaptic membrane in the rat sensorimotor cortex, 129
Bras, H., see Lahjouji, F., 161
Bremen, D., see Anken, R.H., 49

Caillet-Boudin, M.L., see Soulié, C., 189
Cairns, N., see Seidl, R., 193
Carotti, A., see McNaught, K.St.P., 37
Carrupt, P.-A., see McNaught, K.St.P., 37
Carter, D.A., Trans-synaptic control of NGFI-A and jun-B expression: contrasting transcriptional and post-transcriptional mechanisms directed by common receptors, 41
Castañeda-Hernández, G., see Guizar-Sahagun, G., 185
Cattaneo, M.G., see Codignola, A., 53
Cellamare, S., see McNaught, K.St.P., 37
Chang, J.Y., Korolev, V.V., Wang, J.-Z., Cyclic AMP and pituitary adenylate cyclase-activating polypeptide (PACAP) prevent programmed cell death of cultured rat cerebellar granule cells, 181
Chazal, G., see Lahjouji, F., 161
Cheng, J.-T., see Tong, Y.-C., 165
Chiba, S., see Nunomura, A., 17
Clary, D., see Bennett, D.L.H., 33
Clementi, F., see Codignola, A., 53
Codignola, A., McIntosh, J.M., Cattaneo, M.G., Vicentini, L.M., Clementi, F., Sher, E., α-Conotoxin Imperialis I inhibits nicotine-evoked hormone release and cell proliferation in human neuroendocrine carcinoma cells, 53
Cumming, D.V.E., see Amin, V., 45
Curio, G., Drung, D., Koch, H., Müller, W., Steinhoff, U., Trahms, L., Shen, Y.Q., Vase, P., Freltoft, T., Magnetometry of evoked fields from human peripheral nerve, brachial plexus and primary somatosensory cortex using a liquid nitrogen cooled superconducting quantum interference device, 204

De Cataldo, S., see Grassi, E., 196
DeCoster, M.A., see Yourick, D.L., 145
Delacourte, A., see Soulié, C., 189
Delivoria-Papadopoulos, M., see Groenendaal, F., 121
Djamgoz, M.B.A., see Haamedi, S.N., 93
Dmietrieva, N., see Bennett, D.L.H., 33
Draisci, G., see Kajander, K.C., 9
Drung, D., see Curio, G., 204

Eder, C., Heinemann, U., Proton modulation of outward K^+ currents in interferon-γ-activated microglia, 101
Endo, S., see Kuroiwa, T., 117
Espitia, A.L., see Guizar-Sahagun, G., 185
Eto, M., see Nunomura, A., 17

Faussone-Pellegrini, M.S., see Vannucchi, M.G., 105
Ferrer, I., see Pellisé, A., 85
Franco-Bourland, R.E., see Guizar-Sahagun, G., 185
Freltoft, T., see Curio, G., 204

Galassi, F., see Grassi, E., 196
García-López, P., see Guizar-Sahagun, G., 185
Garcin, H., see Alfos, S., 73
Ghiso, J., see Martel, C.L., 157
Giordano, A., see Nardone, A., 89
Gordon, I., Ben-Eliyahu, S., Rosenne, E., Sehayek, E., Michaelson, D.M., Derangement in stress response of apolipoprotein E-deficient mice, 212
Grassi, E., Mortilla, M., Amaducci, L., Pallanti, S., Pazzagli, A., Galassi, F., Guarnieri, B.M., Petruzzi, C., Bolino, F., Ortenzi, L., Nistico, R., De Cataldo, S., Rossi, A., Sorbi, S., No evidence of linkage between schizophrenia and D2 dopamine receptor gene locus in Italian pedigrees, 196
Grasso, M., see Nardone, A., 89
Groenendaal, F., Mishra, O.P., McGowan, J.E., Hoffman, D.J., Delivoria-Papadopoulos, M., Cytosolic and membrane-bound cerebral nitric oxide synthase activity during hypoxia in cortical tissue of newborn piglets, 121
Guarnieri, B.M., see Grassi, E., 196
Guerra, M.J., Liste, I., Rozas, G., Tobio, J., Labandeira-Garcia, J.L., Previous dopaminergic innervation is not necessary for the development of dopamine supersensitivity in rat striatal neurons, 137
Guizar-Sahagun, G., García-López, P., Espitia, A.L., Méndez, S., Castañeda-Hernández, G., Madrazo, I., Franco-Bourland, R.E., Histochemical evidence of the increased expression of nicotinamide adenine dinucleotide phosphate-dependent diaphorase in neurons of the myenteric plexus after acute spinal cord injury in adult rats, 185
Gundelfinger, E.D., see Lenz, S.E., 133

Haamedi, S.N., Djamgoz, M.B.A., Effects of different patterns of light adaptation on cellular and synaptic plasticity in teleost retina: comparison of flickering and steady lights, 93
Hara, T., see Sai, K., 1
Hashimoto, I., Papuashvili, N., Xu, C., Okada, Y.C., Neuronal activities from a deep subcortical structure can be detected magnetically outside the brain in the porcine preparation, 25
Heinemann, U., see Eder, C., 101
Heinze, H.-J., see Weyerts, H., 125
Higueret, D., see Alfos, S., 73
Higueret, P., see Alfos, S., 73
Hirata, F., see Kaufman, M.J., 153
Hoffman, D.J., see Groenendaal, F., 121
Homma, I., see Sai, K., 1
Hung, Y.-C., see Tong, Y.-C., 165
Hutchin, T.P., see Klaidman, L.K., 5

Iadarola, M.J., see Kajander, K.C., 9
Ikeda, K., see Akiyama, H., 169
Imahori, K., see Takahashi, H., 113

Jaffard, R., see Alfos, S., 73
Jenner, P., see McNaught, K.St.P., 37
Jiang, K., Kim, S., Murphy, S., Song, D., Pastuszko, A., Effect of hypoxia and reoxygenation on regional activity of nitric oxide synthase in brain of newborn piglets, 199
Jimbo, Y., see Kamioka, H., 109

Kajander, K.C., Madsen, A.M., Iadarola, M.J., Draisci, G., Wakisaka, S., Fos-like immunoreactivity increases in the lumbar spinal cord following a chronic constriction injury to the sciatic nerve of rat, 9
Kametani, F., see Akiyama, H., 169
Kamioka, H., Maeda, E., Jimbo, Y., Robinson, H.P.C., Kawana, A., Spontaneous periodic synchronized bursting during formation of mature patterns of connections in cortical cultures, 109
Kanamaru, A., see Sai, K., 1
Kaufman, M.J., Hirata, F., Cyclic GMP inhibits phosphoinositide turnover in choroid plexus: evidence for interactions between second messengers concurrently triggered by 5-HT_{2C} receptors, 153
Kawana, A., see Kamioka, H., 109
Kawatani, M., see Sato, M., 69
Kikuchi, H., see Tokime, T., 81
Kim, S., see Jiang, K., 199
Klaidman, L.K., Mukherjee, S.K., Hutchin, T.P., Adams, J.D., Nicotinamide as a precursor for NAD^+ prevents apoptosis in the mouse brain induced by tertiary-butylhydroperoxide, 5
Koch, H., see Curio, G., 204
Koda, H., see Leng, S., 13
Kondo, H., see Akiyama, H., 169
Korolev, V.V., see Chang, J.Y., 181
Kumazawa, T., see Leng, S., 13
Kumon, Y., Sakaki, S., Watanabe, H., Nakano, K., Ohta, S., Matsuda, S., Yoshimura, H., Sakanaka, M., Ciliary neurotrophic factor attenuates spatial cognition impairment, cortical infarction and thalamic degeneration in spontaneously hypertensive rats with focal cerebral ischemia, 141
Kuroiwa, T., Terakado, M., Yamaguchi, T., Endo, S., Ueki, M., Okeda, R., The pyramidal cell layer of sector CA 1 shows the lowest hippocampal succinate dehydrogenase activity in normal and postischemic gerbils, 117

Labandeira-Garcia, J.L., see Guerra, M.J., 137
Lahjouji, F., Barbe, A., Chazal, G., Bras, H., Evidence for colocalization of GABA and glycine in afferents to retrogradely labelled rat abducens motoneurones, 161
Lam, E.T.K., see Yew, D.T., 65
Latchman, D.S., see Amin, V., 45
Leng, S., Mizumura, K., Koda, H., Kumazawa, T., Excitation and sensitization of the heat response induced by a phorbol ester in canine visceral polymodal receptors studied in vitro, 13
Lenz, S.E., Zuschratter, W., Gundelfinger, E.D., Distribution of visinin-like protein (VILIP) immunoreactivity in the hippocampus of the Mongolian gerbil (*Meriones unguiculatus*), 133
Lépagnol, J., see Soulié, C., 189
Lin, S.-N., see Tong, Y.-C., 165
Liste, I., see Guerra, M.J., 137
Lubec, G., see Seidl, R., 193

Mackic, J.B., see Martel, C.L., 157
Madrazo, I., see Guizar-Sahagun, G., 185
Madsen, A.M., see Kajander, K.C., 9
Maeda, E., see Kamioka, H., 109
Makino, I., see Nunomura, A., 17
Mallick, B.N., see Thakkar, M., 177
Marsden, C.D., see McNaught, K.St.P., 37
Martel, C.L., Mackic, J.B., Mackic, J.B., McComb, J.G., Ghiso, J., Zlokovic, B.V., Blood–brain barrier uptake of the 40 and 42 amino acid sequences of circulating Alzheimer's amyloid β in guinea pigs, 157
Massion, J., see Vernazza, S., 77
Matsuda, S., see Kumon, Y., 141
McComb, J.G., see Martel, C.L., 157
McGeer, P.L., see Akiyama, H., 169
McGowan, J.E., see Groenendaal, F., 121
McIntosh, J.M., see Codignola, A., 53
McMahon, S.B., see Bennett, D.L.H., 33
McNaught, K.St.P., Thull, U., Carrupt, P.-A., Altomare, C., Cellamare, S., Carotti, A., Testa, B., Jenner, P., Marsden, C.D., Toxicity to PC12 cells of isoquinoline derivatives structurally related to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine, 37
Meaney, M.J., see Sarrieau, A., 207
Méndez, S., see Guizar-Sahagun, G., 185
Mercken, M., see Takahashi, H., 113
Michaelson, D.M., see Gordon, I., 212
Mishra, O.P., see Groenendaal, F., 121
Miyagishi, T., see Nunomura, A., 17
Mizumura, K., see Leng, S., 13
Mori, H., see Akiyama, H., 169
Mortilla, M., see Grassi, E., 196
Mostofi, S., see Abbot, N.C., 57
Mukherjee, S.K., see Klaidman, L.K., 5
Müller, W., see Curio, G., 204
Münte, T.F., see Weyerts, H., 125
Murayama, M., see Takahashi, H., 113
Murphy, S., see Jiang, K., 199

Nakano, K., see Kumon, Y., 141
Nakazato, Y., see Takahashi, H., 113
Nardone, A., Grasso, M., Giordano, A., Schieppati, M., Different effect of height on latency of leg and foot short- and medium-latency EMG responses to perturbation of stance in humans, 89
Nemethova, M., see Seidl, R., 193

Nishida, K., see Saito, K., 149
Nistico, R., see Grassi, E., 196
Noguchi, K., see Takahashi, H., 113
Nozaki, K., see Tokime, T., 81
Nunomura, A., Chiba, S., Eto, M., Saito, M., Makino, I., Miyagishi, T., Apolipoprotein E polymorphism and susceptibility to early- and late-onset sporadic Alzheimer's disease in Hokkaido, the northern part of Japan, 17

O'Donnell, D., see Sarrieau, A., 207
Ohta, S., see Kumon, Y., 141
Okada, Y.C., see Hashimoto, I., 25
Okeda, R., see Kuroiwa, T., 117
Ortenzi, L., see Grassi, E., 196
Ovtscharoff, W., see Bozhilova-Pastirova, A., 129

Pallanti, S., see Grassi, E., 196
Pallet, V., see Alfos, S., 73
Papuashvili, N., see Hashimoto, I., 25
Pastuszko, A., see Jiang, K., 199
Patrick, R.L., see Sañudo-Peña, M.C., 21
Patrick, S.L., see Sañudo-Peña, M.C., 21
Pazzagli, A., see Grassi, E., 196
Pellisé, A., Roig, C., Barraquer-Bordás, Ll., Ferrer, I., Abnormal, ubiquitinated cortical neurites in patients with diffuse Lewy body disease, 85
Petruzzi, C., see Grassi, E., 196
Poza-Cisneros, G., see Sáez-Valero, J., 173
Priestley, J.V., see Bennett, D.L.H., 33

Rahmann, H., see Anken, R.H., 49
Rebel, G., see Tchoumkeu-Nzouessa, G.C., 61
Risser, D., see Seidl, R., 193
Robinson, H.P.C., see Kamioka, H., 109
Roig, C., see Pellisé, A., 85
Rosenne, E., see Gordon, I., 212
Rossi, A., see Grassi, E., 196
Rozas, G., see Guerra, M.J., 137
Rusak, B., see Bina, K.G., 97

Sáez-Valero, J., Poza-Cisneros, G., Vidal, C.J., Molecular forms of acetyl- and butyrylcholinesterase in human glioma, 173
Sai, K., Kanamaru, A., Sibuya, M., Homma, I., Hara, T., Reconstruction of tonic vibration reflex in the biceps brachii reinnervated by transferred intercostal nerves in patients with brachial plexus injury, 1
Saito, K., Suyama, K., Nishida, K., Sei, Y., Basile, A.S., Early increases in TNF-α, IL-6 and IL-1β levels following transient cerebral ischemia in gerbil brain, 149
Saito, M., see Nunomura, A., 17
Sakaki, S., see Kumon, Y., 141
Sakanaka, M., see Kumon, Y., 141
Sañudo-Peña, M.C., Patrick, S.L., Patrick, R.L., Walker, J.M., Effects of intranigral cannabinoids on rotational behavior in rats: interactions with the dopaminergic system, 21
Sarrieau, A., O'Donnell, D., Alonso, R., Meaney, M.J., Regulation of glucocorticosteroid receptor expression in rat hippocampal cell cultures by nerve growth factor, 207
Sato, M., Kawatani, M., Nitric oxide raises cytosolic concentrations of Ca^{2+} in cultured nodose ganglion neurons from rabbits, 69
Schieppati, M., see Nardone, A., 89
Schwab, C., see Akiyama, H., 169
Sehayek, E., see Gordon, I., 212
Sei, Y., see Saito, K., 149
Seidl, R., Beninati, S., Cairns, N., Singewald, N., Risser, D., Bavan, H., Nemethova, M., Lubec, G., Polyamines in frontal cortex of patients with Down syndrome and Alzheimer disease, 193
Shen, Y.Q., see Curio, G., 204
Sher, E., see Codignola, A., 53
Sibuya, M., see Sai, K., 1
Singewald, N., see Seidl, R., 193
Smid, H.G.O.M., see Weyerts, H., 125
Song, D., see Jiang, K., 199
Sorbi, S., see Grassi, E., 196
Sorger, I., see Anken, R.H., 49
Soulié, C., Lépagnol, J., Delacourte, A., Caillet-Boudin, M.L., Dephosphorylation studies of SKNSH-SY 5Y cell Tau proteins by endogenous phosphatase activity, 189
Steinhoff, U., see Curio, G., 204
Suyama, K., see Saito, K., 149

Takahashi, H., Murayama, M., Takashima, A., Mercken, M., Nakazato, Y., Noguchi, K., Imahori, K., Molecular cloning and expression of the rat homologue of *presenilin-1*, 113
Takashima, A., see Takahashi, H., 113
Tchoumkeu-Nzouessa, G.C., Rebel, G., Activation of protein kinase C down-regulates glial but not neuronal taurine uptake, 61
Terakado, M., see Kuroiwa, T., 117
Testa, B., see McNaught, K.St.P., 37
Teyke, T., Nitric oxide, but not serotonin, is involved in acquisition of food-attraction conditioning in the snail *Helix pomatia*, 29
Thakkar, M., Mallick, B.N., Effect of rapid eye movement sleep deprivation on 5′-nucleotidase activity in the rat brain, 177
Thull, U., see McNaught, K.St.P., 37
Tobio, J., see Guerra, M.J., 137
Tokime, T., Nozaki, K., Kikuchi, H., Neuroprotective effect of FK506, an immunosuppressant, on transient global ischemia in gerbil, 81
Tong, Y.-C., Hung, Y.-C., Lin, S.-N., Cheng, J.-T., Alterations in urinary bladder synaptosomal neurotransmitter concentrations in two-week streptozotocin-induced diabetic rats, 165
Trahms, L., see Curio, G., 204

Ueki, M., see Kuroiwa, T., 117

Vannucchi, M.G., Faussone-Pellegrini, M.S., Differentiation of cholinergic cells in the rat gut during pre- and postnatal life, 105
Vase, P., see Curio, G., 204
Vernazza, S., Alexandrov, A., Massion, J., Is the center of gravity controlled during upper trunk movements?, 77
Vicentini, L.M., see Codignola, A., 53
Vidal, C.J., see Sáez-Valero, J., 173

Wakisaka, S., see Kajander, K.C., 9
Walker, J.M., see Sañudo-Peña, M.C., 21
Wang, J.-Z., see Chang, J.Y., 181
Watanabe, H., see Kumon, Y., 141
Webb, S.E., see Yew, D.T., 65
Weiss, F., see Abbot, N.C., 57
Weyerts, H., Münte, T.F., Smid, H.G.O.M., Heinze, H.-J., Mental representations of morphologically complex words: an event-related potential study with adult humans, 125

Xu, C., see Hashimoto, I., 25

Yamaguchi, T., see Kuroiwa, T., 117
Yew, D.T., Webb, S.E., Lam, E.T.K., Neurotransmitters and peptides in the developing human facial nucleus, 65
Yoshimura, H., see Kumon, Y., 141
Yourick, D.L., DeCoster, M.A., Acute and chronic effects of estrogenic compounds on glutamate-stimulated phosphatidylinositol metabolism in primary neuronal cultures, 145

Zlokovic, B.V., see Martel, C.L., 157
Zuschratter, W., see Lenz, S.E., 133